
vue-django Documentation

Release 0.4.2

Denis Huang

Aug 29, 2023

Contents

1		3
1.1	5
1.1.1	5
1.1.2 Model	5
1.1.3 Model	5
2 Indices and tables		7

django admin, UI.

CHAPTER 1

The screenshot shows the homepage of an online test system. At the top, there is a navigation bar with links: 首页 (Home), 试卷列表 (Exam List), 0001-信息资源管理 第一章 信息资源管理基础 (Exam 0001 - Information Resource Management Chapter 1), 学生列表 (Student List), and 梁家权 (Liang Jiaqian). On the right, it says 管理员 (Administrator) and shows a user icon.

The left sidebar has several categories with dropdown menus:

- 测验 (Exams): 试卷 (Exam), 成绩 (Results)
- 学校 (School): 学生 (Student), 老师 (Teacher), 班级 (Class), 专业 (Major), 学院 (Institute)
- 课程 (Courses):

The main content area displays the following data:

- 学生 (Students): 5,963
- 老师 (Teachers): 27
- 课程 (Courses): 36
- 班级 (Classes): 100

Below this is a date range selector: 2019-06-04 至 2019-06-11.

There are two tabs at the top of a chart section: 答题 (Answering) and 学生 (Students).

The first chart is titled "每日答题人数" (Number of answers per day) and shows a line graph from June 4 to June 10. The y-axis ranges from 0 to 6. The data points are approximately: (2019-06-04, 5.2), (2019-06-05, 5.2), (2019-06-06, 6.0), (2019-06-07, 1.0), (2019-06-08, 4.0), (2019-06-09, 2.0), (2019-06-10, 3.0).

The second chart is titled "班级答题人数" (Number of answers per class) and is a horizontal bar chart. The y-axis lists classes: 2018级岭南学院(1)班, 2018级岭南学院(2)班, 2018级岭南学院(3)班, 2018级岭南学院(4)班, 2018级岭南学院(5)班, 2018级岭南学院(6)班, 2018级岭南学院(7)班, 2018级岭南学院(8)班, 2018级岭南学院(9)班, 2018级岭南学院(10)班, 2018级岭南学院(11)班, 2018级岭南学院(12)班, 2018级岭南学院(13)班, 2018级岭南学院(14)班, 2018级岭南学院(15)班, 2018级岭南学院(16)班, 2018级岭南学院(17)班, 2018级岭南学院(18)班, 2018级岭南学院(19)班, 2018级岭南学院(20)班, 2018级岭南学院(21)班, 2018级岭南学院(22)班, 2018级岭南学院(23)班, 2018级岭南学院(24)班, 2018级岭南学院(25)班, 2018级岭南学院(26)班, 2018级岭南学院(27)班, 2018级岭南学院(28)班, 2018级岭南学院(29)班, 2018级岭南学院(30)班, 2018级岭南学院(31)班, 2018级岭南学院(32)班, 2018级岭南学院(33)班, 2018级岭南学院(34)班, 2018级岭南学院(35)班, 2018级岭南学院(36)班. The x-axis ranges from 0 to 5. The data points are approximately: 2018级岭南学院(1)班 (1), 2018级岭南学院(2)班 (3), 2018级岭南学院(3)班 (5), 2018级岭南学院(4)班 (1), 2018级岭南学院(5)班 (1), 2018级岭南学院(6)班 (1), 2018级岭南学院(7)班 (1), 2018级岭南学院(8)班 (1), 2018级岭南学院(9)班 (1), 2018级岭南学院(10)班 (1), 2018级岭南学院(11)班 (1), 2018级岭南学院(12)班 (1), 2018级岭南学院(13)班 (1), 2018级岭南学院(14)班 (1), 2018级岭南学院(15)班 (1), 2018级岭南学院(16)班 (1), 2018级岭南学院(17)班 (1), 2018级岭南学院(18)班 (1), 2018级岭南学院(19)班 (1), 2018级岭南学院(20)班 (1), 2018级岭南学院(21)班 (1), 2018级岭南学院(22)班 (1), 2018级岭南学院(23)班 (1), 2018级岭南学院(24)班 (1), 2018级岭南学院(25)班 (1), 2018级岭南学院(26)班 (1), 2018级岭南学院(27)班 (1), 2018级岭南学院(28)班 (1), 2018级岭南学院(29)班 (1), 2018级岭南学院(30)班 (1), 2018级岭南学院(31)班 (1), 2018级岭南学院(32)班 (1), 2018级岭南学院(33)班 (1), 2018级岭南学院(34)班 (1), 2018级岭南学院(35)班 (1), 2018级岭南学院(36)班 (1).

Model

Model

apidjango-restful-framework, , django_szuprefix. MVVMvuejs, PClementui, vux.

- model
- model,,,
-

Contents:

1.1

1.1.1

- - * foreignKey,
 - * foreignKeyplainField, ,
 - ,
 - , ,

```
st1={name:'school.student',
      foreignKeys:[
        {name:'school.major',
         plainFields:['name']}
        ],
        {name:'school.clazz',
         foreignKeys:[
           {name:'school.grade',
            plainFields:['name']}
           ],
           {name:'school.session',
            rel:'entrance_session',
            plainFields:['name']}
           },
           {name:'school.session',
            rel:'graduate_session',
            plainFields:['name']}
           }
        ],
        plainFields:['name']
      ],
      plainFields:['name','number']
    }
```

1.1.2 Model

1.1.3 Model

CHAPTER 2

Indices and tables

- genindex
- modindex
- search